## lexi Test report



Patient:	lexi	Species:	Canine	Patient ID:	2508062
Client:	marcos	Gender:		Age:	

### Al Aided Diag. Explan.

It is recommended to add a blood smear test to evaluate platelet and other cell morphology, as well as coagulation (such as cD-dimer) to assess whether coagulation function is normal, based on clinical manifestations and medical history.

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results.

The results only applies to this test sample.

Time of Printing:2025-08-13 14:51:34





## Immunoassay test report



Patient:lexiSpecies:CaninePatient ID:2508062Client:marcosGender:Sample No.:05

Doctor: Age: Time of analysis: 2025/08/06 15:34

Lab item	Current result	
HW Ag	Negative	
E.canis Ab	Positive	
Lyme Ab	Negative	
Anapl. Ab	Positive	

Operator:

<b>■</b> Report Explan.	
HW Ag	A positive result indicates the canine heartworm antigen is present in the sample. Even if the result is negative, the possibility of HW-infection cannot be ruled out.  * As with all other diagnostic tests, a single test result should not be used as the sole basis for clinical diagnosis but rather should be comprehensively evaluated by a veterinarian in combination with clinical symptoms and other laboratory test results.
E.canis Ab	A positive result indicates the canine Ehrlichia canis antibodies are present in the sample. Even if the result is negative, the possibility of E.canis-infection cannot be ruled out.  * As with all other diagnostic tests, a single test result should not be used as the sole basis for clinical diagnosis but rather should be comprehensively evaluated by a veterinarian in combination with clinical symptoms and other laboratory test results.
Lyme Ab	A positive result indicates the presence of canine Lyme antibodies in the sample. Even if the result is negative, the possibility of Lyme-infection cannot be ruled out.  * As with all other diagnostic tests, a single test result should not be used as the sole basis for clinical diagnosis but rather should be comprehensively evaluated by a veterinarian in combination with clinical symptoms and other laboratory test results.
Anapl. Ab	A positive result indicates the presence of canine Anaplasma phagocytophilum/ Anaplasma platys antibodies in the sample. Even if the result is negative, the possibility of Anapl. Ab -infection cannot be ruled out.  * As with all other diagnostic tests, a single test result should not be used as the sole basis for clinical diagnosis but rather should be comprehensively evaluated by a veterinarian in combination with clinical symptoms and other laboratory test results.

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results.

The results only applies to this test sample.

Test Instrument:Mindray vetXpert I3

Time of Printing:2025-08-13 14:51:36





# Hematology Analysis Report



Patient: 2508062 Species: Canine Patient ID:

Client: Gender: Sample No.: 21 marcos

Time of analysis: 2025/08/06 13:44 Doctor: Age:

		7.92.		2025, 00, 00 15111
	Para. Current result		Ref. Ranges	
WBC Para.	WBC 8.93	10^9/L	5.32-16.92	
	Neu# 6.26	10^9/L	3.05-12.10	
	Lym# 2.19	10^9/L	0.70-4.95	
	Mon# 0.29	10^9/L	0.20-1.38	
	Eos# 0.20	10^9/L	0.04-1.28	
	Bas# 0.00	10^9/L	0.00-0.13	
	Neu% 0.701		0.420-0.840	
	Lym% 0.245		0.060-0.400	<del></del>
	Mon% 0.032		0.025-0.120	
	Eos% 0.022		0.003-0.110	
	Bas% 0.000		0.000-0.010	
	RBC 7.37	10^12/L	5.20-8.69	
	HGB 154	g/L	115-201	
_	HCT 0.478		0.350-0.600	
RBC Para.	MCV 64.9	fL	60.0-77.5	
	MCH 20.9	pg	20.0-27.0	
	MCHC 322	g/L	300-380	
	RDW-CV 0.129		0.113-0.189	
	RDW-SD 31.4	fL	29.1-55.1	
	PLT L 43	10^9/L	140-520	
	MPV 10.9	fL	7.6-16.1	
PLT Para.	PDW 15.2		13.8-17.9	
9 ⊣	PCT L 0.47	mL/L	1.20-7.00	
	P-LCC L 16	10^9/L	25-180	
	P-LCR 0.383		0.100-0.570	
	IPF 3.3	%	0.4-17.1	
	RET# 33.2	10^9/L	9.0-115.0	
	RET% 0.45	%	0.16-1.95	
RET Para.	IRF 10.8	%	0.0-45.1	
ra.	LFR 89.2	%	56.0-100.0	
	MFR 10.7	%	0.0-26.0	
	HFR 0.1	%	0.0-22.0	
	RHE 21.3	pg	20.0-28.3	

The results only applies to this test sample.

Test Instrument:Mindray BC-60R Vet

Time of Printing:2025-08-13 14:51:38



## Hematology Analysis Report



21

Sample No.:


Patient: Species: Canine Patient ID: 2508062 Gender:

Age: Time of analysis: 2025/08/06 13:44 Doctor:

#### Operator:User

Client:

marcos





**Diagnosis** implications: Thrombocytopenia

### Report Explan.

**Thrombocytopenia** 

It occurs in pseudo-reduction caused by PLT clump, infection, hemorrhage, disseminated intravascular coagulation, immune-mediated diseases, drug treatment, and tuberculosis of bone marrow

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results. The results only applies to this test sample. Time of Printing:2025-08-13 14:51:38 Test Instrument:Mindray BC-60R Vet



